

Highline Loop | WT - Woven textile

ege

Productdescription



Highline Loop | WT - Woven textile



Productdescription

DESCRIPTION	METHOD	DATA
CONSTRUCTION CHARACTERISTICS		
STRUCTURE	ISO 2424	Tufted loop pile
GAUGE	ISO 2424	1/10
PILE MATERIAL	DIR 96/73, 96/74	100% regenerated Econyl PA6
COLORATION	-	Millitron dyed
BACKING	ETL	WT - Woven textile
DIMENSIONS	ISO 3018	Approx. 400 cm
TOTAL THICKNESS	ISO 1765	Apr 7,0 mm.
	-	0,28"
SURFACE PILE THICKNESS	ISO 1766	Apr 4,0 mm.
TUFTS	ISO 1763	Apr 153.000 pr.m2
TOTAL CARPET WEIGHT	ISO 8543	Apr 2.200 g/m2
	-	64.9 oz./yd2
PILE YARN WEIGHT	ETL	680 g/m2
	-	20.06 oz./yd2
SURFACE PILE DENSITY	ISO 8543.	Apr 0,115 g/cm3
PERFORMANCE CHARACTERISTICS		
PERFORMANCE AREAS	EN 1307	Class 33 - Commercial - Heavy
GUARANTEE	ETL	Contract certificate
PERFORMANCE AREAS	Gulvbranchen	Class 33
CASTOR CHAIR SUITABILITY	EN 985	Intensive use
SUITABILITY FOR USE ON STAIRS	EN 1963	Yes
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	EN 1815	Antistatic
ACOU.INSU. FROM IMPACT NOISE	ISO 717-2	24 dB
ACOUSTICAL ABSORPTION	ISO 354	0,20 aW
	Sound absorbtion class	E
SUITABILITY UNDERFLOORHEATING	ETL	Apr 0,12 m2K/W
LIGHT REFLECTANCE	ETL	Testreport
COLOUR FASTNESS TO LIGHT	ISO 105-B02	>5
	AATCC 16	3.5
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
	AATCC 165	5.0
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
	AATCC 165	5.0
COLOURFAST. TO WATER PATTERNED	ISO 105-E01	>4
CLEANING	AATCC 138	5.0
COLOUR FAST.OXIDES OF NITROGEN	AATCC 164	5.0
OTHER PERFORMANCE TESTS	ASTM D5252 Hexapod	3.5/3.0
	-	Commercial - Heavy
	AATCC 134 Electrostatic propensity	0.6 kV

Highline Loop | WT - Woven textile



Productdescription

DESCRIPTION	METHOD	DATA	
SAFETY & ENVIRONMENT			
FIRE CLASSIFICATION	VKF/AEAI	Approved	
	BS 6853, NF X 70-100	Approved	
	ASTM E-648	Class 1	
	ASTM E662 Smoke Density	<450	
	ASTM D2859 Surface Flamm.	Pass	
	EN 13501-1 Euroclass	Cfl-s1	
	HU,MSZ 14800-9:1985	Suitable	
	ASISO 9239.1-2003	10,20 KW/m2	
	CE LABELING	EN 14041	Certified
		CPR	1021-CPR-006-2/16
Declaration of Performance		DOP 1C-PA-WT	
Notified body no.		1021	
Ce Year		07	
Content of PCP		DL	
Formaldehyde emission		NA	
INDOOR CLIMATE	Slip resistance	Class DS	
	INSTA 800	Dust level 5	
	BASTA	Registered	
	Green Label Plus	Approved	
	Green Label Singapore	Approved	
	DCL Attestation of Conformity	Product complies	
	METS Report	Pass	
	Emissions dans l'air intérieur	A+/A+	
	Indoor Air Comfort Gold	Group 3	
	ABG	ABG-28-01-03-01-2018	
ENVIRONMENT	BREEAM-NOR	Approved	
	Environmental Product Decl.	EPD-EGE-20150030-CBC1-EN	
	Cradle To Cradle Certified	Bronze certified	
	Recycled Content, ISO 14021	Apr 36,0 %	
	Recycled Content for LEED	Apr 26,0 %	
LEED	Qualified		
GUIDES			
INSTALLATION + ADHESIVE GUIDE	DK	Dansk	
	N	Norsk	
	S	Svensk	
	GB	English	
	D	Deutsch	
	F	Francais	
CLEANING, STAIN REMOVAL	DK	Dansk	
	N	Norsk	
	S	Svensk	
	GB	English	

Highline Loop | WT - Woven textile



Productdescription

DESCRIPTION	METHOD	DATA
	D	Deutsch
	F	Francais

MANUFACTURER CHARACTERISTICS

FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

Productdescription



All carpets are 100% Cradle to Cradle Certified™

We want to leave the right footprint and make sustainability available to everyone.

Cradle to Cradle helps us do exactly that and therefore all of our carpets are Cradle to Cradle Certified™.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO₂ emissions and ensure social fairness in our operations and value chain.

Ege Carpets is now the no. 1 brand globally in terms of achieving the highest ever number of certifications in under five years so we are now 100% certified.

Cradle to Cradle is the only choice

With our carpets, it is easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities but you only get one option when it comes to sustainability.

Thus, all of our carpets are 100% Cradle to Cradle Certified™ which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.

Products from Ege Carpets:

- do not harm people and environment
- have been thoroughly investigated for material health issues
- are produced with renewable energy
- come from a company that works with water stewardship, CO₂ emissions and social fairness
- 100% Cradle to Cradle Certified™